

Listino pubblico e specifiche di montaggio Forbidden Dreadnought E



Model	Dreadnought E T1	11.699,00 € (batteria da 600 Wh) - €11.999,00 (batteria da 800 Wh)
Frame	Dreadnought E Full Carbon	High-Modulus Carbon Fiber Trifecta V2 High Pivot 4-Bar Suspension One Ride Geometry Enduro Max Bearings
Fork	RockShox Zeb Ultimate	180mm Travel Charger 3.2 RC2 Linear XL w/ Buttercup LSR, HSC/LSC, Adjustable Bottom Out External 44mm Offset 20x110mm Thru-Axle Red
Rear Shock	RockShox Vivid Coil	S1 - 300lb, S2 - 350lb, S3 - 400lb, S4 - 450lb Rebound Adjust LSR, HSC/LSC, HBO Adjust 2 Position Threshold Lever C26, R55 230x65mm
Headset	FSA Orbit ZS	ZS44/ZS56 Sealed Cartridge Bearings 6000 Series Alloy Cups And Materials Sealed Steel Crown Race
Grips	Forbidden	128mm length Single Sided Lock-On Black
Handle Bar	OneUp Alloy	800mm Width S1-S2:20mm / S3-S4:35mm Rise 8° Backsweep 5° Upward 35mm Bar Bore / Matte Carbon
Stem	OneUp Forged	42mm Length 35mm Bar Clamp Black Forged 6061 Aluminum
Seat Post	OneUp V3	31.6mm Size Specific Travel S1:150mm / S2:180mm / S3:210mm / S4:240mm
Seat Post Remote	OneUp V3	Aluminum Remote Oversized Bearing MatchMaker X Integrated Dropper Remote
Seat Post Clamp	Seat Clamp	7075 CNC Aluminum 34.9mm Black Anodized
Saddle	Fizik Terra Aidon X5	145mm Width X5: Ride-Compliant Fiber Reinforced Nylon Shell And S-Alloy Rail Black
Front Brake	SRAM Maven - Ultimate	Stealth Body SwingLink Reach & Contact Adjustment Organic Pads
Front Brake Rotor	SRAM HS2	6-Bolt 2.0mm Thickness Superior Heat Management
Rear Brake	SRAM Maven - Ultimate	Stealth Body SwingLink Reach & Contact Adjustment Organic Pads
Rear Brake Rotor	SRAM HS2	6-Bolt 2.0mm Thickness Superior Heat Management
Shifter Rear	SRAM POD Rocker	With MMX Clamp AXS Controller Rocking Actuation
Rear Derailleur	SRAM X0 T-Type	Hangerless Interface Overload Clutch Replaceable Skid Plates
Cassette	SRAM XS-1295	12speed XD Fit 10-12-14-16-18-21-24-28-32-38-44-52T
Chain	SRAM GX T-Type	12speed Links = S1:120 / S2:122 / S3:124 / S4:126
Crankset	SRAM X0 E	150mm SRAM 34T Chainring 55mm Chainline Alloy
HP Idler	FBC Idler Pulley + Upper Guide	V2 18T Steel Idler Pulley - 2 x BOSL Enduro Bearings
Upper Guide	Forbidden Race Guide	
Lower Guide		
Motor	Avinox M2S	Avinox M2S Drive Unit: 150 Nm 1300w Peak Power Avinox Screen: 2-inch OLED Touch Screen Control Display Avinox Wireless Controllers: Right and left sides
Battery	Avinox	Avinox Integrated Li-ion Battery: 600 or 800Wh
Bottom Bracket	Avinox	ISIS Interface
Front Hub	Crank Brothers Ratchet	110x15mm 28-Hole 6-Bolt Black Anodized
Front Hub Skewer	Maxle Stealth	6mm Hex Fitment
Rear Hub	Crank Brothers Ratchet - XD	Ratchet Internals XD Driver 148x12mm 32hole 6-Bolt Black Anodized Decal
Rear Hub Skewer	Maxle Stealth	180x12mm 5mm Hex Fitment
Spokes/Nipples	Sapim CX-Ray	Front: CX Ray 2.0/0.9/2.2/2.0mm Rear: Race 2.0/1.25/2.25/2.0mm Aero Black ED Coated Stainless Black Brass 14mm Nipples
Rims	Crankbrothers Synthesis Carbon Enduro	Front 31.5mm / Rear 31.5mm Internal Width Tubeless Ready Black with Grey Graphics
Front Tire	Maxxis High Roller 3 3C, MaxxGrip, DH Casing	29 x 2.4 3C MaxxGrip Rubber Compound 60tpi Folding Tubeless Ready DH Casing
Rear Tire	Maxxis DHRII 3C, MaxxGrip, DH Casing	27.5 x 2.5 3C MaxxGrip Rubber Compound 120tpi Folding Tubeless Ready DH Casing
Extras 1	Avinox 508W Charger	Approx. 1 h 30 min (0-75%)
Extras 2	Fidlock TWIST Bike Base	
Extras 3	Stans Sealant	200ml
Extras 4	RideWrap Protection Film	Preinstalled in High Wear Areas. Full OE Integrated Kit Available Extra



Model	Dreadnought E T2	€ 10.399,00 (batteria da 600 Wh) - €10.699,00 (batteria da 800 Wh)
Frame	Dreadnought E Full Carbon	High-Modulus Carbon Fiber Trifecta V2 High Pivot 4-Bar Suspension One Ride Geometry Enduro Max Bearings
Fork	Fox 38 Factory	180mm Travel Grip X2 Float Glidecore HSR/LSR, HSC/LSC Adjust 44mm Offset 15x110mm Thru-Axle Gloss Black
Rear Shock	Fox Float X2 Air Factory	Evol HSR/LSR, HSC/LSC 2 Position Threshold Lever CL60, RS50 LMM, Rezi B60, Bleed 0.9, MCU Short 230x65mm
Headset	FSA Orbit ZS	ZS44/ZS56 Sealed Cartridge Bearings 6000 Series Alloy Cups And Materials Sealed Steel Crown Race
Grips	Forbidden	128mm length Single Sided Lock-On Black
Handle Bar	OneUp Alloy	800mm Width S1-S2:20mm / S3-S4:35mm Rise 8° Backsweep 5° Upward 35mm Bar Bore 7075 Aluminum / Black
Stem	OneUp	42mm Length 35mm Bar Clamp Black Forged 6061 Aluminum
Seat Post	TranzX Reverse	31.6mm Size Specific Travel S1:160mm / S2:180mm / S3:210mm / S4:240mm
Seat Post Remote	TransX GLS	Aluminum Remote Oversized Bearing MatchMaker X Integrated Dropper Remote
Seat Post Clamp	Seat Clamp	7075 CNC Aluminum 34.9mm Black Anodized
Saddle	Fizik Terra Aidon X5	145mm Width X5: Ride-Compliant Fiber Reinforced Nylon Shell And S-Alloy Rail Black
Front Brake	SRAM Maven Silver	Stealth Body SwingLink Reach & Contact Adjustment Organic Pads
Front Brake Rotor	SRAM Centerline	6-Bolt 2.0mm Thickness
Rear Brake	SRAM Maven Silver	Stealth Body SwingLink Reach & Contact Adjustment Organic Pads
Rear Brake Rotor	SRAM Centerline	6-Bolt 2.0mm Thickness
Shifter Rear	SRAM POD Rocker	With MMX Clamp AXS Controller Rocking Actuation
Rear Derailleur	SRAM GX T-Type	Hangerless Interface Overload Clutch Replaceable Skid Plates
Cassette	SRAM XS-1275	12speed XD Fit 10-12-14-16-18-21-24-28-32-38-44-52T
Chain	SRAM GX T-Type	12speed Links = S1:120 / S2:122 / S3:124 / S4:126
Crankset	Praxis Alloy E-Cranks	150mm SRAM 34T Chainring 55mm Chainline Black
HP Idler	FBC Idler Pulley	V2 18T Steel Idler Pulley - 2 x BOSL Enduro Bearings
Upper Guide	Forbidden Race Guide	
Lower Guide		
Motor	Avinox M2S	Avinox M2S Drive Unit: 150 Nm 1300w Peak Power Avinox Screen: 2-inch OLED Touch Screen Control Display Avinox Wireless Controllers: Right and left sides
Battery	Avinox	Avinox Integrated Li-ion Battery: 600 or 800Wh
Bottom Bracket	Avinox	ISIS Interface
Front Hub	Crank Brothers Ratchet	110x15mm 28-Hole 6-Bolt Black Anodized
Front Hub Skewer	Fox Kabolt	6mm Hex Fitment
Rear Hub	Crank Brothers Ratchet - XD	Ratchet Internals XD Driver 148x12mm 32hole 6-Bolt Black Anodized Decal
Rear Hub Skewer	Maxle Stealth	180x12mm 5mm Hex Fitment
Spokes/Nipples	Sapim Race	Race 2.0/1.8/2.0mm Double Butted Black ED Coated Stainless Black Brass 14mm Nipples
Rims	Crank Brothers Alloy 2.0	Front 31mm / Rear 29.5mm Internal Width Tubeless Ready Black with Grey Graphics
Front Tire	Maxxis High Roller 3 3C, MaxxGrip, DH Casing	29 x 2.4 3C MaxxGrip Rubber Compound 60tpi Folding Tubeless Ready DH Casing
Rear Tire	Maxxis DHRII 3C, MaxxGrip, DH Casing	27.5 x 2.5 3C MaxxGrip Rubber Compound 120tpi Folding Tubeless Ready DH Casing
Extras 1	Avinox 168W Charger	Approx. 4 h 45 min (0-100%)approx. 3 h 3 min (0-75%)
Extras 2	Fidlock TWIST Bike Base	
Extras 3	Stans Sealant	200ml
Extras 4	RideWrap Protection Film	Preinstalled in High Wear Areas. Full OE Integrated Kit Available Extra

Listino pubblico e specifiche di montaggio Forbidden Dreadnought E



Model	Dreadnought E T3	€ 8.899,00 (batteria da 600 Wh) - €9,199,00 (batteria da 800 Wh)
Frame	Dreadnought E Full Carbon	High-Modulus Carbon Fiber Trifecta V2 High Pivot 4-Bar Suspension One Ride Geometry Enduro Max Bearings
Fork	RockShox ZEB Select+	180mm Travel Charger 3.2 RC2 LinearXL Rebound, HSC/LSC Adjust Adjustable Bottom Out Internal 44mm Offset Maxle Stealth Thru-Axle Gloss Black
Rear Shock	RockShox Vivid Air Select+	LinearXL Rebound, LSC Adjust 2 Position Threshold Lever R55 C26 Tune 230x65mm
Headset	FSA Orbit ZS	ZS44/ZS56 Sealed Cartridge Bearings 6000 Series Alloy Cups And Materials Sealed Steel Crown Race
Grips	Forbidden	128mm length Single Sided Lock-On Black
Handle Bar	Forbidden Alloy	800mm Width S1-S2:22.5 / S3-S4:38mm Rise 9° Backsweep 5° Upward 35mm Bar Bore Black
Stem	Forbidden Forged	40mm Length 35mm Bar Clamp Black
Seat Post	TranzX Reverse	31.6mm Size Specific Travel S1:160mm / S2:180mm / S3:210mm / S4:240mm
Seat Post Remote	TransX GLS	Aluminum Remote Bearing MatchMaker X Integrated Dropper Remote
Seat Post Clamp	Seat Clamp	7075 CNC Aluminum 34.9mm Black Anodized
Saddle	Forbidden	143mm Width Atmos Shaping Cro-Mo Rail Black
Front Brake	SRAM Maven	Base Stealth Body Reach Adjustment Organic Pads
Front Brake Rotor	SRAM Centerline	6-Bolt 2.0mm Thickness
Rear Brake	SRAM Maven Base	Base Stealth Body Reach Adjustment Organic Pads
Rear Brake Rotor	SRAM Centerline	6-Bolt 2.0mm Thickness
Shifter Rear	SRAM Eagle 90	With MMX Clamp Single Click Two Button Design
Rear Derailleur	SRAM Eagle 90 T-Type	Hangerless Interface Replaceable Skid Plates
Cassette	SRAM XS-1270	12speed HG Fit 10-12-14-16-18-21-24-28-32-38-44-52T
Chain	SRAM Eagle 70 T-Type	12speed Links = S1:120 / S2:122 / S3:124 / S4:126
Crankset	Praxis Alloy E-Cranks	150mm SRAM 34T Chainring 55mm Chainline Black
HP Idler	FBC Idler Pulley + Upper Guide	V2 18T Steel Idler Pulley - 2 x BOSL Enduro Bearings
Upper Guide	Forbidden Race Guide	
Lower Guide		
Motor	Avinox M2	Avinox M2 Drive Unit: 110 Nm (120Nm Boost) 1100w Peak Power Avinox Screen: 2-inch OLED Control Display Avinox Wireless Controllers: Right and left sides
Battery	Avinox	Avinox Integrated Li-ion Battery: 600 or 800Wh
Bottom Bracket	Avinox	ISIS Interface
Front Hub	Crankbrothers Synthesis	110x15mm 28-Hole 6-Bolt Black Anodized
Front Hub Skewer	Maxle Stealth	6mm Hex Fitment
Rear Hub	Crankbrothers Synthesis	HG Driver 148x12mm 32-Hole 6-Bolt
Rear Hub Skewer	Maxle Stealth	180x12mm 5mm Hex Fitment
Spokes/Nipples	Sapim E-Light / Strong	Black ED Coated Stainless Black Brass 14mm Nipples
Rims	Crankbrothers Alloy 1.0	Front 31.5mm / Rear 31.5mm Internal Width Tubeless Ready Black with Grey Graphics
Front Tire	Maxxis High Roller 3 3C, MaxxGrip, DH Casing	29 x 2.4 3C MaxxGrip Rubber Compound 60tpi Folding Tubeless Ready DH Casing
Rear Tire	Maxxis DHRII 3C, MaxxGrip, DH Casing	27.5 x 2.5 3C MaxxGrip Rubber Compound 120tpi Folding Tubeless Ready DH Casing
Extras 1	Avinox 168W Charger	Approx. 4 h 45 min (0-100%)approx. 3 h 3 min (0-75%)
Extras 2	Fidlock TWIST Bike Base	
Extras 3	Stans Sealant	200ml
Extras 4	RideWrap Protection Film	Preinstalled in High Wear Areas. Full OE Integrated Kit Available Extra

Listino pubblico e specifiche di montaggio Forbidden Dreadnought E



Model	Dreadnought E T4	€ 7.699,00 (batteria da 600 Wh) - €7,999,00 (batteria da 800 Wh)
Frame	Dreadnought E Full Carbon	High-Modulus Carbon Fiber Trifecta V2 High Pivot 4-Bar Suspension One Ride Geometry Enduro Max Bearings
Fork	RockShox ZEB	180mm Travel Delta RC Debonair + LSR/LSC Adjust 44mm Offset Maxle Stealth Thru-Axle Gloss Black
Rear Shock	RockShox Super Deluxe	LinearXL Rebound Adjust Bearing Adapter Eyelets R55 C26 Tune 230x65mm
Headset	FSA Orbit ZS	ZS44/ZS56 Sealed Cartridge Bearings 6000 Series Alloy Cups And Materials Sealed Steel Crown Race
Grips	Forbidden	128mm length Single Sided Lock-On Black
Handle Bar	Forbidden Alloy	800mm Width S1-S2:22.5 / S3-S4:38mm Rise 9° Backsweep 5° Upward 35mm Bar Bore Black
Stem	Forbidden Forged	40mm Length 35mm Bar Clamp Black
Seat Post	TranzX Reverse	31.6mm Size Specific Travel S1:160mm / S2:180mm / S3:210mm / S4:240mm
Seat Post Remote	TransX GLS	Aluminum Remote Bearing 22.2mm Clamp
Seat Post Clamp	Seat Clamp	7075 CNC Aluminum 34.9mm Black Anodized
Saddle	Forbidden	143mm Width Atmos Shaping Cro-Mo Rail Black
Front Brake	SRAM DB4	Stealth Body Reach Adjustment Organic Pads
Front Brake Rotor	SRAM Centerline	6-Bolt 2.0mm Thickness
Rear Brake	SRAM DB4	Stealth Body Reach Adjustment Organic Pads
Rear Brake Rotor	SRAM Centerline	6-Bolt 2.0mm Thickness
Shifter Rear	SRAM Eagle 70	22.2 Clamp Single Click Two Button Design
Rear Derailleur	SRAM Eagle 70 T-Type	Hangerless Interface Replaceable Skid Plates
Cassette	SRAM XS-1270	12speed HG Fit 10-12-14-16-18-21-24-28-32-38-44-52T
Chain	SRAM Eagle 70 T-Type	12speed Links = S1:120 / S2:122 / S3:124 / S4:126
Crankset	Praxis Alloy Type 7 E-Cranks DJI 150mm	150mm SRAM 34T Chainring 55mm Chainline Black
HP Idler	FBC Idler Pulley + Upper Guide	V2 18T Steel Idler Pulley - 2 x BOSL Enduro Bearings
Upper Guide	Forbidden Race Guide	
Lower Guide		
Motor	Avinox M2	Avinox M2 Drive Unit: 110 Nm (120Nm Boost) 1100w Peak Power Avinox Screen: 2-inch OLED Control Display Avinox Wireless Controllers: Right and left sides
Battery	Avinox	Avinox Integrated Li-ion Battery: 600 or 800Wh
Bottom Bracket	Avinox	ISIS Interface
Front Hub	Crankbrothers Synthesis	110x15mm 28-Hole 6-Bolt Black Anodized
Front Hub Skewer	Maxle Stealth	6mm Hex Fitment
Rear Hub	Crankbrothers Synthesis	HG Driver 148x12mm 32-Hole 6-Bolt
Rear Hub Skewer	Maxle Stealth	180x12mm 5mm Hex Fitment
Spokes/Nipples	Sapim E-Light / Strong	Black ED Coated Stainless Black Brass 14mm Nipples
Rims	Crank Brothers Alloy 1.0	Front 31.5mm / Rear 31.5mm Internal Width Tubeless Ready Black with Grey Graphics
Front Tire	Maxxis High Roller 3 3C, MaxxGrip, DH Casing	29 x 2.4 3C MaxxGrip Rubber Compound 60tpi Folding Tubeless Ready DH Casing
Rear Tire	Maxxis DHRII 3C, MaxxGrip, DH Casing	27.5 x 2.5 3C MaxxGrip Rubber Compound 120tpi Folding Tubeless Ready DH Casing
Extras 1	Avinox 168W Charger	Approx. 4 h 45 min (0-100%)approx. 3 h 3 min (0-75%)
Extras 2	Stans Sealant	200ml
Extras 3	RideWrap Protection Film	Preinstalled in High Wear Areas. Full OE Integrated Kit Available Extra
Extras 4		